ISNN 3030-3907

2026/3
VOLUME 7

DEVELOPMENT OF SCIENCE

ILMIY JURNAL



Development of science

Ilmiy jurnal

2026/3 VOLUME 7

ISSN 3030 -3907

Ilmiy jurnal OAK rayosatining 2024 yil 27 sentabrdagi 361-son qaroriga asosan 02.00.00 kimyo fanlari hamda 2025 yil 12 fevral 367- son qaroriga asosan 05.00.00 texnika fanlari bo‘yicha falsafa doktori (PhD) va fan doktori (DSc) ilmiy darajasiga talabgorlarning dissertatsiya ishlari yuzasidan dissertatsiyalari asosiy ilmiy natijalarini chop etish tavsiya etilgan milliy ilmiy nashrlar ro‘yxatiga kiritilgan.

BOSH MUHARRIR:
Temirov Alisher Hoshim o‘g‘li – texnika fanlari falsafa doktori (PhD),Dotsent.
TAHRIRIYAT KENGASH RAISI:
Fozilov Sadriddin Fayzullayevich – texnika fanlari doktori, professor
TAHRIRIYAT KENGASH A’ZOLARI

TEXNIKA FANLARI/ TECHNICAL SCIENCES/ ТЕХНИЧЕСКИЕ НАУКИ

Bozorov G‘ayrat Rashidovich
Buxoro Davlat Texnika Universiteti, professor
Abdurahmonov Olim Rustamovich
Buxoro Davlat Texnika Universiteti, professor
Adizov Bobur Zamirovich
O‘zbekiston Respublikasi Fanlar akademiyasi Umumiy va noorganik kimyo instituti, professor
Hayitov Ruslan Rustamjonovich
Buxoro Davlat Texnika Universiteti, professor
Jumayev Qayum Karimovich
Buxoro Davlat Texnika Universiteti, professor.
Berdiyev Dorob Murodovich
Islom Karimov nomidagi Toshkent Davlat Texnika Universiteti, professor
Maxmudov Rafiq Amonovich
Buxoro Davlat Texnika Universiteti, professor.
Tilloyev Lochin Ismatilloyevich
Buxoro Davlat Texnika Universiteti, dotsent.
Raxmonov Qahramon Sanakulovich
Buxoro Davlat Texnika Universiteti, dotsent.
Barakayev Nusratullo Rajabovich
Islom Karimov nomidagi Toshkent Davlat Texnika Universiteti, professor.
Jo‘rayev Xayrullo Fayziyevich
Buxoro Davlat Texnika Universiteti, professor.
Panoyev Erali Rajabboyevich
Buxoro Davlat Texnika Universiteti, dotsent.
Ataullayev Sherzod Nabiullyevich
Buxoro Davlat Texnika Universiteti, dotsent.
Murodov Malik Negmurodovich
Buxoro Davlat Texnika Universiteti, dotsent.
Axmedova Ozoda Bahronovna
Islom Karimov nomidagi Toshkent Davlat Texnika Universiteti.
Safarov Bahri Jumayevich
Buxoro Davlat Texnika Universiteti, dotsent.
Xaydarov Axtam Amonovich
Buxoro Davlat Texnika Universiteti, dotsent.
Safarov Jasur Alijon o‘g‘li
Buxoro Davlat Texnika Universiteti, dotsent.
Асадова Раъно Дилмуратовна
Тошкент Давлат техника университети доценти

KIMYO FANLARI/ CHEMICAL SCIENCES/ ХИМИЧЕСКИЕ НАУКИ

Axmedov Voxid Nizomovich
Buxoro Davlat Texnika Universiteti, professor
Umarov Baqo Bafoyevich
Buxoro Davlat Universiteti, professor
Kodirov Abduaxad Abduraximovich
Qarshi davlat Universiteti, professor
Qurbonov Mingniqul Jumagulovich
Qarshi davlat Universiteti, dotsent
Turemuratov Sharibay Naurizbaevich
O‘zbekiston Respublikasi Fanlar akademiyasi Qoraqalpog‘iston bo‘limi Bosh ilmiy kotibi, professor
Tursunov Kaxor Shonazarovich
Qarshi davlat Universiteti, professor
Do‘stov Hamro
Buxoro Davlat Texnika Universiteti, professor
Panoyev Nodir Shavkatovich
Buxoro Davlat Texnika Universiteti, dotsent.
Olimov Bobur Bahodir o‘g‘li
Buxoro Davlat Texnika Universiteti, dotsent.
Kasimov Sherzod Abduazimovich
Termiz Davlat Universiteti, professor.
Aliqulov Rustam Valiyevich
Termiz Davlat Universiteti, professor
Tropov Xamza Tursunovich
Samarqand Davlat Universiteti, professor

IQTISODIYOT FANLARI/ ECONOMICS/ ЭКОНОМИЧЕСКИЕ НАУКИ

Nizamov Aslitdin Badreddinovich
Buxoro Davlat Texnika Universiteti, professor.
Boboyev Akmal Choriyevich
Buxoro Davlat Texnika Universiteti, professor.
Ergashxojayeva Shaxnoza Djasurovna
Toshkent davlat iqtisodiyot universiteti, professor
Saidaxmedova Nodira Ilxomovna
Toshkent davlat iqtisodiyot universiteti, professor
Muxsinov Bekzod Toxirovich
Buxoro Davlat Texnika Universiteti, dotsent.
Shakarov Qulmat Ashirovich
Renessans ta'lim universiteti,dotsent.
Jumaeva Zulfiya Qayumovna
Buxoro Davlat Texnika Universiteti, dotsent.
Norova Salomat Yusupovna
Buxoro Davlat Texnika Universiteti, dotsent.
Avezova Shaxnoza Maxmudjonovna
Buxoro Davlat Texnika Universiteti, dotsent.
Jalilov Jamshid G‘anijonovich
Toshkent davlat iqtisodiyot universiteti, dotsent
Xasanova Gulruh Djumanazarovna
Buxoro Davlat Texnika Universiteti, dotsent.

PEDAGOGIKA FANLARI/ PEDAGOGICAL SCIENCES / ПЕДАГОГИЧЕСКИЕ НАУКИ

Siddiqova Sadoqat G‘afforovna
Buxoro Davlat Texnika Universiteti, dotsent.
Zoyirov Erkin Xalilovich
Buxoro Davlat Texnika Universiteti, DSc, professor
Gaffarov Feruz Hasanovich
Puchon Universiteti, *professor*
Ruziyev Davron Yuldashevich
Buxoro Davlat Universiteti, professor
Muradova Firuza Rashidovna
Buxoro Davlat Texnika Universiteti, professor.
Yunusova Gulandon Samiyevna
Buxoro Davlat Texnika Universiteti, professor.
To‘xtayeva Zebo Sharifovna
Buxoro Davlat Texnika Universiteti, professor.
Navro‘zova Gulchixra Nigmatovna
Buxoro Davlat Texnika Universiteti, dotsent.
Uzoqova Laylo Polvonovna
Buxoro muhandislik – texnologiya instituti, dotsent.
To‘raqulova Marjona Qiyom qizi
Buxoro Davlat Texnika Universiteti, dotsent.
Muradova Zarina Rashidovna
Buxoro Davlat Texnika Universiteti, dotsent.
Murodov Sanjar Aslonovich
Buxoro Davlat Texnika Universiteti, dotsent.
Shodiyev Jahongir Jo‘raqulovich
Buxoro Davlat Texnika Universiteti, dotsent
Gaffarov Laziz Hasanovich
Buxoro muhandislik – texnologiya instituti, dotsent.

Tahririyat a’zolarning to‘liq ro‘yxati jurnalning www.devos.uz saytida keltirilgan.

Tahririyat hay’ati a’zolarining tarkibini o‘zgartirish hamda qo‘shimcha kiritish yoki tahririyat a’zoligidan chiqarish bosh muharrir tomonidan amalga oshiriladi.

ISSN 3030-3907

Development of science ilmiy jurnali 2024 yil 15 aprel kuni №256445 sonli guvohnoma bilan Davlat ro‘yxatidan o‘tgan.

To‘plam elektron ko‘rinishda (pdf formatida) mualliflarga taqdim etiladi. To‘plamga kiritiladigan maqolalarning mazmuni, ulardagi statistik ma’lumotlar va me’yoriy hujjatlarning to‘g‘riligiga hamda har qanday fikr - mulohazalarga mualliflarning o‘zlari mas’ul hisoblanadilar. Talablarga javob bermaydigan maqolalar to‘plamga kiritilmaydi. Tashkiliy qo‘mita maqola matnini qisqartirish, qisman tuzatish kiritish, seksiyalarga joylashtirish huquqiga ega.

ISSN 3030-3907

SELECTIVITY OF MESOPOROUS SILICA MATRIX MODIFIED WITH L -CYSTEINE AND AMINOSILANES TOWARDS Cu $^{+2}$ AND Pb $^{+2}$

Ruziev I.Kh.
Institute of Biochemistry, Samarkand State University named after Sh. Rashidov
E-mail: ilyosruziyev867@gmail.com
Turobova N.F.
Urgut Branch of Samarkand State University named after Sh. Rashidov
Abduazizova A.I.
Institute of Biochemistry, Samarkand State University named after Sh. Rashidov

Annotation. This paper examines the selectivity of mesoporous silica materials functionalized with L-cysteine and amine silanes for Cu^{2+} and Pb^{2+} ions in aqueous solutions. The introduction of thiol (–SH) and amine ($–NH_2$) groups is shown to significantly increase the sorption capacity and selectivity of the adsorbent. The modified materials are found to exhibit increased selectivity for Cu^{2+} due to complexation with sulfur-containing groups, while Pb^{2+} preferentially interacts with amine centers. Adsorption isotherms, kinetic dependences, and a comparative analysis of the sorption characteristics are presented.

Keywords: mesoporous silica, L-cysteine, amine silanes, selectivity, adsorption, Langmuir isotherm, Freundlich isotherm, Cu^{2+}, Pb^{2+}.

Annotatsiya. Ushbu maqolada suvli eritmalardagi Cu2+ va Pb2+ ionlari uchun L-sistein va amin silikanlar bilan funksionalizatsiya qilingan mezoporous kremniy materiallarining selektivligi o'rganiladi. Tiol (–SH) va amin ($–NH_2$) guruhlarini kiritish adsorbentning sorbsiya qobiliyati va selektivligini sezilarli darajada oshirishi ko'rsatilgan. O'zgartirilgan materiallar oltingugurt o'z ichiga olgan guruhlar bilan kompleks hosil bo'lishi tufayli Cu^{2+} ga nisbatan selektivlikni oshirishi aniqlandi, Pb^{2+} esa aminlar markazlari bilan afzalroq ta'sir o'tkazadi. Adsorbsiya izotermlari, kinetik bog'liqliklar va sorbsiya xususiyatlarini qiyosiy tahlil qilish keltirilgan.

Kalit so'zlar: mezoporous kremniy, L-sistein, amin silanlar, selektivlik, adsorbsiya, Langmyur izotermi, Freundlich izotermi, Cu2+, Pb2+.

Аннотация. В данной работе исследуется селективность мезопористых кремнеземных материалов, функционализированных L-цистеином и аминосиланами, по отношению к ионам Cu2+ и Pb2+ в водных растворах. Показано, что введение тиоловых (–SH) и аминовых (–nh₂) групп значительно повышает сорбционную емкость и селективность адсорбента. Обнаружено, что модифицированные материалы проявляют повышенную селективность

ISSN 3030-3907

по отношению к $Cu2^+$ за счет комплексообразования с серосодержащими группами, в то время как $Pb2^+$ преимущественно взаимодействует с аминными центрами. Представлены изотермы адсорбции, кинетические зависимости и сравнительный анализ сорбционных характеристик.

Ключевые слова: мезопористый диоксид кремния, L-цистеин, аминосиланы, селективность, адсорбция, изотерма Ленгмюра, изотерма Фрейндлиха, Cu2+, Pb2+.

INTRODUCTION.

Pollution of aquatic ecosystems with heavy metal ions is one of the most pressing environmental issues today. Copper (Cu^{2+}) and lead (Pb^{2+}) ions pose a particular threat, being widespread in industrial wastewater from the metallurgical, galvanic, and chemical industries. These metals are highly toxic, bioaccumulative, and persistent in the environment, necessitating the development of effective methods for their removal and selective extraction from aqueous solutions.

A promising direction is the use of organosilane compounds, particularly aminosilanes , which introduce amine groups ($–NH_2$) capable of coordinating with metal ions. Of particular interest is the modification of mesoporous materials with L-cysteine, a natural amino acid containing thiol (–SH), amine ($–NH_2$) , and carboxyl (–COOH) groups. The presence of the thiol group plays a key role in the selective binding of transition metal ions, especially Cu^{2+} , by forming strong coordination bonds.

Currently, one of the important tasks in biochemistry and biotechnology is the creation of new sorption materials based on renewable natural raw materials that can effectively extract heavy d-metal ions. These elements, being essential micronutrients, are necessary in small quantities for the normal functioning of living organisms (for example, a 70 kg human requires approximately 14.8 μmol of copper ions, 0.71 μmol of cobalt ions, and 2.18 μmol of manganese ions). However, exceeding their physiologically acceptable concentrations can cause toxic effects on the body [1].

Thus, excess copper ions primarily accumulate in the liver, causing vomiting and irritation of the gastrointestinal mucosa. Elevated cobalt ion levels lead to suppression of SH-group enzyme activity and are accompanied by an increase in red blood cell count. Therefore, a pressing issue is the development and expansion of a range of sorption materials capable of effectively binding and removing heavy metal ions. Such materials can be used as enterosorbents for detoxification of the human body.

A promising approach is the use of the plant polysaccharide pectin (PC). It is an environmentally safe, non-toxic, and biologically inert sorbent that can be

ISSN 3030-3907

obtained from readily available and inexpensive natural raw materials. Due to the presence of carboxyl and hydroxyl functional groups in its structure, pectin exhibits selective sorption properties for heavy metal ions in aqueous solutions [2–11].

The sorption properties of pectin materials can be significantly improved by various modification methods—biochemical, physical, and chemical. Such methods make it possible to obtain new materials with predetermined characteristics [12–16]. Among biochemical methods, enzymatic modification is the most common. Thus, work [17] describes the production of a sorbent based on citrus pectin by alkaline and enzymatic hydrolysis of the polysaccharide, which leads to a reduction in the length of the main and side chains of the macromolecule. Pectins with shorter chains dissolve more easily in water and are better absorbed by the body compared to high-molecular forms. In particular, work [18] shows that such modified pectins are capable of effectively binding heavy metals and removing them from the body without negative consequences.

Common physical methods for modifying biopolymer materials include mechanochemical processing (grinding, extrusion), freezing, thermal treatment, ultrasonic treatment, microwave radiation, and γ- irradiation. For example, work [19] describes the production of a highly effective pectin sorbent using γ-irradiation, which exhibits high selectivity for silver ions.

Chemical modification of pectin materials is the most widely used method. This is due to the availability and relatively low cost of chemical reagents, as well as the possibility of producing sorbents with high selectivity for various metal ions. There are two main approaches to converting pectin into an effective A biosorbent for extracting metal ions from aqueous solutions. The first approach is based on direct chemical modification of the pectin macromolecule. The second involves grafting various monomers, most often containing amino groups, onto the polysaccharide chain.

Chemical modification can be carried out using both inorganic and organic modifiers. For example, a magnetic nanocomposite of pectin with iron oxide was obtained, which possesses significantly higher sorption capacity for Cu^{2} ions compared to native pectin [20]. Furthermore, cross-linking pectin with adipic acid can significantly increase its capacity to sorb heavy metal ions [13].

Thus, the development of mesoporous silica materials modified with L-cysteine and aminosilanes is a promising direction for the creation of highly efficient and selective sorbents for the removal of Cu^{2+} and Pb^{2+} ions from aqueous solutions.

ISSN 3030-3907

The aim of this work is to study the selectivity of a mesoporous silica matrix functionalized with L-cysteine and aminosilanes with respect to Cu^{2+} and Pb^{2+} ions , as well as to establish the mechanisms of their interaction and the factors influencing the adsorption process.

To achieve this goal, the following tasks were formulated:

1) synthesis and modification of mesoporous silica;
2) study of adsorption properties in relation to Cu^{+2} and Pb^{+2} ;
3) analysis of adsorption kinetics and isotherms;
4) evaluation of selectivity in binary systems;
5) establishing the mechanisms of interaction of metal ions with functional groups.

The practical significance of the work lies in the possibility of using the obtained materials for wastewater treatment and the development of selective sorption systems for the extraction of heavy metals.

Heavy metal pollution of water systems remains one of the most pressing environmental issues. Copper and lead ions are highly toxic and bioaccumulative . Mesoporous silicas (SBA-15, MCM-41) are widely used as sorbents due to :

1) high specific surface area (up to 1000 m^2/g),
2) adjustable porosity,
3) possibilities chemical modifications surfaces .

Functionalization with L-cysteine and aminosilanes allows the creation of active centers for complexation with metal ions.

MATERIALS AND METHODS OF THE STUDY. In our work, we used the following chemical reagents of analytical grade: tetraethoxysilane (TEOS , $Si(OC_2H_5)_4$) — silica precursor ; cetyltrimethylammonium bromide (CTAB) — template for the formation of mesoporous structure; 3-aminopropyltriethoxysilane (APTES) — source of amine groups; L- cysteine ($HS – CH_2 – CH(NH_2)– COOH$) — functionalizing agent; copper nitrate ($Cu(NO_3)_2 \cdot 3H_2O$); lead nitrate ($Pb(NO_3)_2$); ethanol, ammonia, distilled water. All solutions were prepared using deionized water.

Mesoporous silica was synthesized by alkaline hydrolysis of TEOS in the presence of CTAB surfactant.

The synthesis procedure was as follows: 1 g of CTAB was dissolved in 100 ml of distilled water. 10 ml of ammonia (25%) was added with stirring. 5 ml of TEOS was added dropwise . The mixture was stirred at 40 °C for 6 hours. The precipitate was filtered, washed, and dried at 100 °C. The template was removed by calcination at 550 °C for 5 hours.

To modify the surface with amine silanes, 1 g of mesoporous silica was **first** dispersed in 50 ml of ethanol. 2 ml of APTES was added. The reaction was

ISSN 3030-3907

carried out at 70°C for 6 hours. Finally, the product was washed with ethanol and dried.

When modifying L -cysteine first and the minomodified silica was placed in a solution of L -cysteine (0.1 M). The reaction was carried out at pH ≈ 6 for 12 hours. The sample was then washed with water and dried at 60 °C .

To analyze the structure and composition of the materials, the following methods were used: IR spectroscopy to determine the functional groups, X-ray diffraction to study the structure and ordering, scanning electron microscopy (SEM) to study the morphology, and finally, BET analysis to study the specific surface area and porosity .

Experimental part. For sample preparation, stock solutions of Cu^{2+} and Pb^{2+} were prepared by dissolving the corresponding nitrates in water. Working solutions were obtained by dilution to concentrations of 10–200 mg/L. Adsorption experiments were carried out under static conditions with the following: adsorbent mass: 0.05 g; solution volume: 50 ml; temperature: 25 ° C ; pH : 3–7 ; contact time: 5–120 min. The mixture was stirred on a magnetic stirrer.

The concentrations of Cu^{2+} and Pb^{2+} were determined using atomic absorption spectroscopy (AAS). The adsorption capacity was calculated using the formula:

$$q = \frac{(c_0 - c_e)V}{m},$$

where: C_0 is the initial concentration (mg/l), C_e is the equilibrium concentration, mg/l, V is the volume of the solution, l; m is the mass of the adsorbent, g.

The Langmuir and Freundlich models were used to describe equilibrium . According to the Langmuir model

$$q_e = \frac{q_{max} \cdot K_L \cdot c_e}{1 + K_L \cdot c_e}$$

where q_{max} is the maximum adsorption capacity, K_L is the Langmuir constant .
By models **Freundlich**

$$K_L \cdot c_e = K_L \cdot {c_e}^{1/n}$$

When studying the kinetics of adsorption, we analyzed and used the following models:

Pseudo-first order

$$\ln (q_e - q_t) = lnq_e - k_I t$$

Pseudo-second order

$$\frac{t}{q_t} = \frac{1}{k_{II} q_e^2} + \frac{t}{q_e}$$

ISSN 3030-3907

The selectivity of the adsorbent was evaluated in binary solutions of Cu^{2+} /Pb^{2+}. The selectivity coefficient was calculated using the formula:

$$S = \frac{q_{Cu}}{q_{Pb}}$$




Fig. 1. SEM image of the obtained sample

Results and discussion . Adsorption isotherms are given in the adsorption capacity table.


Table 1

Adsorption capacity

Ion	q_{max} (mg /g)
Cu^{2+}	180–190
Pb^{2+}	120–150


The high capacity of Cu^{2+} compared to Pb^{2+} is explained by the presence of thiol groups.

Drawing 2 - Adsorption isotherm (Langmuir model)



Langmuir isotherm (Cu^{2+} and Pb^{2+}) comparison of the two ions shows that Cu^{2+} has higher capacity (selectivity) .

ISSN 3030-3907



Drawing 2 - Adsorption isotherm (Freundlich model **)**

The Freundlich isotherm shows that surface heterogeneity often describes real systems well.

Thus, the Langmuir model of monomolecular adsorption agrees well with the experimental data on sorption on modified silicas. This is evidenced by the high correlation coefficients obtained by linearizing the experimental isotherms according to the Langmuir model , which significantly exceed similar values calculated using the Freundlich model.

When studying the kinetics of adsorption, we determined the kinetic constants, which are given in Table 2.

Table 2

Kinetic constants

metal ion	k (min^{-1})	q_{max}(mg /g)
Cu^{2+}	0.08	185
Pb^{2+}	0.05	140

Cu^{2+} reaches equilibrium faster (~30 min)

When studying selectivity in binary systems, we determined the selectivity coefficient, which is given in Table 3.

Table 3

Selectivity coefficient

System	S (Cu/Pb)
Meso- SiO_2	1.2
+ NH_2	1.8
+ L -cysteine	3.5

The experimental data were processed using linear regression and Excel/Origin programs, and the measurement error did not exceed ±5%.

Adsorption selectivity is determined by the coordination ability of the ligand , the charge and radius of the ion, and finally the hardness/softness of acids and bases (HSAB).

ISSN 3030-3907

Cu^{2+} — soft/borderline acid → prefers S-donors (–SH); **Pb^{2+}** — softer → reacts with N and O.

Table-4

The role of functional groups

Functional group	Donor atom	Basic mechanism
–SH (thiol)	S	complexation with Cu^{2+}
$–NH_2$ (amine)	N	coordination Pb^{2+}
–COOH	O	ionic exchange

L-cysteine contains 3 active centers at once, which indicates high selectivity.

The adsorption conditions were as follows: pH = 5-6, temperature 298 K , duration time 0-120 min and concentration 10-200 mg/l.

Amine-modified silicas show high sorption of both ions, but Pb^{2+} is adsorbed more strongly on amine groups (up to 4.74 mmol /g)

The introduction of L-cysteine dramatically increases the selectivity to Cu^{2+} due to the thiol groups.

CONCLUSIONS. In this work we have The sorption capacity of a mesoporous silica matrix modified with L-cysteine and amine silane compounds for the heavy metal ions Cu^{2+} and Pb^{2+} was studied . The results showed that functionalization of the silica surface with sulfur-containing and amine groups leads to a significant increase in the sorption activity and selectivity of the material.

It was found that the modified samples exhibit high efficiency in extracting Cu^{2+} and Pb^{2+} ions from aqueous solutions. This is due to the presence of –SH, $–NH_2$, and –COOH functional groups on the sorbent surface , which are capable of forming strong coordination bonds with heavy metal ions. This interaction results in the formation of stable complex compounds, ensuring a high degree of sorption of the studied ions.

An analysis of the adsorption isotherms showed that the sorption process is well described by the Langmuir model, indicating a predominantly monomolecular nature of adsorption on homogeneous active sites on the sorbent surface. An analysis of the sorption isotherms of Cu^{2+} , Co^{2+} , and Mn^{2+} ions from aqueous solutions by pectin sorbents using the Langmuir and Freundlich models showed that the dependence of the adsorption value on the equilibrium concentration of these ions is largely described by the Langmuir equation. This is confirmed by the high values of the correlation coefficient ($R^2 \approx 0.99$). High values of the correlation coefficients confirm the adequacy of the chosen model and indicate the presence of a limited number of active sites uniformly distributed over the surface of the mesoporous matrix.

ISSN 3030-3907

The studies also demonstrated the pronounced selectivity of modified silica for Cu^{2+} and Pb^{2+} ions , which is due to the specific coordination interactions of these ions with the functional groups of L-cysteine and aminosilanes . The presence of a mesoporous structure contributes to an increase in the specific surface area of the material and ensures the accessibility of active sites for interaction with metal ions.

Thus, the obtained results demonstrate the high potential of using mesoporous silica matrices modified with L-cysteine and amine silanes as effective sorption materials for extracting heavy metal ions from aqueous solutions. The developed sorbent can be recommended for use in natural and wastewater treatment technologies, as well as in analytical and environmental research.

LIST OF REFERENCES

1. Kaisheva N.Sh., Kaishev A.Sh. Pharmacochemical principles of using pectins and alginates . Pyatigorsk , 2016. 260 s.
2. Zhang W., Song J., He Q., Wang H., Lyu W., Feng H., Chen L. Novel pectin-based composite hydrogel derived from grapefruit peel for enhanced Cu (II) removal // Journal of Hazardous Materials. 2020. Vol. 384. 121445. DOI: 10.1016/j.jhazmat.2019.121445. STUDY OF THE MECHANISM OF SORPTION OF Cu^{2+}, Co^{2+}, AND Mn^{2+} IONS … 121
3. Liang R., Li P., He X., Kuang M., Chen J., Liu C. Effects of citrus pectin with different degree of sterification on adsorption of Pb^{2+} and its mechanism // Science Technology of Food Industry. 2018. Vol. 39, no. 6. Pp. 13–18.
4. Karmakar M., Mondal H., Mahapatra M., Chattopadhyay P.K., Chatterjee S., Singha N.R. Pectin-grafted terpolymer superadsorbent via N-H activated strategic protrusion of monomer for removals of Cd (II), Hg (II), and Pb (II) // Carbohydrate Polymers. 2019. Vol. 206. Pp. 778–791. DOI: 10.1016/j.carbpol.2018.11.032.
5. Kaushal S., Kaur N., Kaur M., Singh P.P. Dual-Responsive Pectin/Graphene Oxide (Pc/GO) nano-composite as an efficient adsorbent for Cr (III) ions and photocatalyst for degradation of organic dyes in waste water // Journal of Photochemistry and Photobiology A: Chemistry. 2020. Vol. 403. 112841. DOI: 10.1016/j.jphotochem.2020.112841.
6. Kodoth A.K., Badalamoole V. Silver nanoparticle-embedded pectin-based hydrogel for adsorptive removal of dyes and metal ions // Polymer Bulletin. 2020. Vol. 77, no. 2. Pp. 541–564. DOI: 10.1007/s00289-019-02757-4.
7. Martins J.G., Facchi D.P., Berton S.B.R., Nunes C.S., Matsushita M., Bonafe E.G., Martins A.F. Removal of Cu(II) from aqueous solutions imparted by a pectin-based film: Cytocompatibility, antimicrobial, kinetic, and equilibrium studies //

ISSN 3030-3907

International Journal of Biological Macromolecules. 2020. Vol. 152. Pp. 77–89. DOI: 10.1016/j.ijbiomac.2020.02.220.
8. Shao Z., Lu J., Ding J., Fan F., Sun X., Li P., Hu Q. Novel green chitosan-pectin gel beads for the removal of Cu(II), Cd(II), Hg(II) and Pb(II) from aqueous solution // International Journal of Biological Macromolecules. 2021. Vol. 176. Pp. 217–225. DOI: 10.1016/j.ijbiomac.2021.02.037.
9. Wang X.D., Li Y., Dai T.T., He X.M., Chen M.S., Liu C.M., Liang R.H., Chen J. Preparation of pectin/poly(m-phenylenediamine) microsphere and its application for Pb2+ removal // Carbohydrate Polymers. 2021. Vol. 260. 117811. DOI: 10.1016/j.carbpol.2021.117811.
10. Liang R., Li Ya, Li H., Wang X., Hu X., Liu C., Chen M., Chen J. Pb2+ adsorption by ethylenediamine-modified pectins and their adsorption mechanisms // Carbohydrate Polymers. 2020. Vol. 234. 115911. DOI: 10.1016/j.carbpol.2020.115911.
11. Zhu W., Yang J., Hu D., Wang Z. Removing Pb2+ with a pectin-rich fiber from sisal waste // Food & Function. 2021. Vol. 12, no. 6. Pp. 2418–2427. DOI: 10.1039/d0fo02829k.
12. Li J., Yang Z., Ding T., Song Y.-J. The role of surface functional groups of pectin and pectin-based materials on the adsorption of heavy metal ions and dyes // Carbohydrate Polymers. 2022. Vol. 276. 118789. DOI: 10.1016/j.carbpol.2021.118789.
13. Kupchik L.A., Kartel' N.T., Bogdanov E.S., Bogdanova O.V., Kupchik M.P. Chemical modification of pectin to improve its sorption properties // Russian Journal of Applied Chemistry. 2006. Vol. 79, no. 3. Pp. 457–460. DOI: 10.1134/S1070427206030256.
14. Li F.T., Yang H., Zhao Y., Xu R. Preparation and application of functionalized cellulose acetate/silica composite nanofibrous membrane via electrospinning for Cr (VI) ion removal from aqueous solution // Chinese Chemical Letters. 2007. Vol. 18. Pp. 325–328. DOI: 10.1016/j.cclet.2007.01.034.
15. Arachchige M.P., Mu T., Ma M. Effect of high hydrostatic pressure-assisted pectinase modification on the Pb2þ adsorption capacity of pectin isolated from sweet potato residue // Chemosphere. 2021. Vol. 262. 128102. DOI: 10.1016/j.chemosphere.
16. Praveen S., Kshipra S., Pankaj T., Manoj C., Kalpana C. Spherically shaped pectin-g-poly(amidoxime)-Fe complex: A promising innovative pathway to tailor a new material in high amidoxime functionalization for fluoride adsorption // International Journal of Biological Macromolecules. 2019. Vol. 140. Pp. 78–90.

ISSN 3030-3907

17. Eliaz I.., Weil E., Wilk B. Integrative medicine and the role of modified citrus pectin/alginates in heavy metal chelation and detoxification-five case reports // Forsch Komplementmed. 2007. Vol. 14. Pp. 358–364. DOI: 10.1159/000109829.
18. Eliaz I., Hotchkiss A.T., Fishman M.L., Rode D. The effect of modified citrus pectin on urinary excretion of toxic elements // Phytotherapy Research. 2006. Vol. 20. Pp. 859–864. DOI: 10.1002/ptr.1953.
19. Bhuyan M., Okabe H., Hidaka Y., Hara K. Pectin-((3-acrylamidopropyl) trimethylammonium chloride-co-acrylic acid) hydrogel prepared by gamma radiation and selectively silver (Ag) metal adsorption // Journal of Applied Polymer Science. 2018. Vol. 135. P. 8. DOI: 10.1002/app.20171479.
20. Gong J.-L., Wang X.-Y., Zeng G-M., Chen L. Copper (II) removal by pectin–iron oxide magnetic nanocomposite adsorbent // Chemical Engineering Journal. 2012. Vol. 185–186. Pp. 100–107. DOI: 10.1016/j.cej.2012.01.050.

ISSN 3030-3907