A COMPLETE GUIDE TO HELP YOU UNDERSTAND WHAT GLASS MATERIALS

Yakubjonov Fayzulloh Tursunali o‘g‘li
Andijon mashinasozlik instituti stajyo‘r o‘qituvchi
, Andijon, O‘zbekiston.
Phone: (0897)782 0909, E-mail: fdon411@gmail.com

Abstract. Glass is one of the most diverse and misunderstood materials in the world. Glass can be used to make a variety of items, from glasses to bottles, frames to road "glass asphalt". Glass is a bit difficult to understand. It's strong enough to keep us safe, but it's surprisingly easy to break. It is composed of opaque sand, although it is absolutely transparent. Perhaps most shocking of all, it functions like a solid...but it's actually a strange liquid in disguise! Glass is found almost everywhere: most spaces in your home will have a piece of glass, and if not, there's a glass mirror... or a glass jar. Glass is one of the oldest and most adaptable human materials on Earth. Let's learn more about it.

Keywords: Glass, liquid, oxide, glass bottles, microwaveable.

Аннотация. Стекло - один из самых разнообразных и непонятых материалов в мире. Из стекла можно изготавливать самые разные предметы: от бокалов до бутылок, от рам до дорожного "стеклянного асфальта". Стекло немного сложно понять. Он достаточно прочен, чтобы обезопасить нас, но его на удивление легко сломать. Он состоит из непрозрачного песка, хотя и абсолютно прозрачен. Возможно, самое шокирующее, что он функционирует как твердое вещество... но на самом деле это замаскированная странная жидкость! Стекло встречается практически везде: в большинстве помещений вашего дома есть стекло, а если его нет, то есть стеклянное зеркало.. или стеклянную банку. Стекло - один из старейших и наиболее приспособляемых человеком материалов на Земле. Давайте узнаем о нем больше.

Ключевые слова: Стекло, жидкость, оксид, стеклянные бутылки, для микроволновой печи.

Annotatsiya. Shisha dunyodagi eng xilma-xil va noto'g'ri tushunilgan materiallardan biridir. Shishadan ko'zoynakdan shishalarga, ramkalardan "shisha asfalt"yo'ligacha turli xil buyumlar yasash mumkin. Shishani tushunish biroz qiyin. Bu bizni xavfsiz saqlash uchun etarlicha kuchli, ammo uni sindirish hayratlanarli darajada oson. U shaffof bo'lmagan qumdan iborat, garchi u mutlaqo shaffof bo'lsa. Ehtimol, eng hayratlanarli narsa, u qattiq kabi ishlaydi...ammo bu aslida niqoblangan g'alati suyuqlik! Shisha deyarli hamma joyda uchraydi: sizning uyingizdagi aksariyat joylarda shisha bo'lagi bo'ladi, agar bo'lmasa, shisha oyna

ISSN 3030-3907

mavjud... yoki shisha idish. Shisha er yuzidagi eng qadimgi va moslashuvchan inson materiallaridan biridir. Keling, bu haqda ko'proq bilib olaylik.

Kalit so'zlar: shisha, suyuqlik, oksid, shisha idishlar, mikroto'lqinli pech.

Enterance:

Glass is an inanimate solid substance that is usually translucent or transparent and is hard, brittle, and weather-resistant. Glass has been used to create practical and beautiful products since ancient times, and today it is used in everything from construction to kitchenware to telecommunications. Glass is made from purely natural, environmentally friendly raw materials. It is the packaging material of choice for those who care about the environment and health. Consumers prefer glass packaging because it preserves the taste or flavor of items and protects the integrity or healthfulness of food and beverages. Glass is considered the only widely used "GRAS" or "generally recognized as safe" packaging material in the United States. Believe it or not, glass is formed from liquid sand. Glass can be made by heating ordinary sand (composed mainly of silica) until it melts and turns into a liquid. This will never happen at a beach near you: The sand melts at temperatures as high as 2°C (1700°F). Glass is a commonly used material in our homes because it has many beneficial properties. In addition to being translucent, glass is cheap to produce, easy to shape when melted, has moderate heat resistance when solidified, is chemically stable (so glass bottles do not react with the contents), and can be reused and recycled indefinitely. More than any other material, glass has shaped Europe’s culture and traditions, geography, industries, living environments, technological deployments, and more. Think Bohemian crystal, the Italian island of Venice, the collection of mirrors in a royal palace, or the stained glass windows in a cathedral. The physical and chemical properties of glasses vary widely. However, most variants share key features. Sand is the most common type of silica and can be found everywhere in nature. It is a major component in the manufacture of glass, alongside silicon dioxide (SiO2).

The most common type of glass is silicate glassware, which is composed primarily of silicon dioxide SiO2, or silicon dioxide. This is the glass used for windows, panes, and wine glasses. Quartz is actually the crystallized form of the mineral. When a solid substance is quartz-like, it is called glass. Glass can be made from a silica-based sand mixture. There are other natural silicate glasses. The addition of impurities or additional elements and molecules to the silicates can change the tint and other properties of the glass. Commercial glasses are divided into soft drink glasses or specialty glasses, with the former accounting for the majority of glass production. Glass baby bottle manufacturer. Sand (silica/SiO2), limestone (calcium carbonate/CaCO3) and sodium carbonate (Na2CO3) are the three main ingredients

ISSN 3030-3907

used to make this glass. Since the thermal decomposition temperature of sand is well above 1,700°C and the costs of reaching such extreme temperatures are considerable, its applications are limited to those areas where its unique properties and ability to withstand sudden temperature changes are so important that the cost is justified. Nonetheless, the manufacture of fused silica glass is a huge industry; it comes in many grades, and if used for ophthalmology, the primary material used is crystal rather than quartz sand. Most glass is made from a mixture of silica obtained from a bed of crushed sandstone or fine sand, an alkali to lower the melting temperature (usually a corrosive, or potash for thinner glasses), limestone to act as a stabilizer, and clay (waste glass) to help melt the solution.



Figure.1

Other compounds (usually in the form of oxides) are added to glass to change its properties, for example, lead to increase transparency and weight; boron to increase electrical resistance and thermal resistance; barium to increase the refractive index (as in glass materials); cerium to absorb infrared light; aluminum oxide to increase mass and rigidity (as in cell phone glass) and heat capacity; metal oxides to impart a tint; and manganese to decolorize it. The term crystal glass is derived from crystal, originally referring to clear, highly refractive glass; it has evolved within the industry to refer to a high-grade monochromatic glass, and is often used to refer to any high-quality hand-blown glass.

Here are some of the most important properties of glass:

- It is a substance based on natural products.
- It is a solid inorganic substance.
- Glass can withstand extreme temperatures.

ISSN 3030-3907

- It is completely recyclable.

It was not until the twentieth century that people realized the actual potential of glass as a building material. As glass manufacturing technology advances, you can make a wide variety of glass. Laminated glass, tempered glass, bulletproof glass and programmable glass have all increased the use of glass in buildings. Today's modern skyscrapers, small and large homes, and workplaces use glass in nearly every area of architecture and design. Glass packaging is much stronger than plastic packaging. Obviously, if the glass packaging is not damaged, the life of the glass is unlimited. When handling glass packaging, carefully inspect the inner packaging to avoid damage and breakage. To protect the integrity of the glass, consider resizing your interior packaging options. Your custom glass container may end up becoming an antique collector's bottle.

Glass bottle sustainability and recyclability. Glass bottles and jars are 100% recyclable (including brown and green glass) and made from natural raw materials, which has the added advantage of being 100% recyclable (including brown and green glass). Glass also contains no chemical additives found in other packaging methods that can leach into the ecosystem or into the product itself. This method of preservation prolongs service life and reduces waste.

Glass heat resistant. Glass packaging is particularly heat-resistant, helping to provide protection during manufacturing and shipping, reducing breakage and waste. Glass containers may also be helpful to consumers in terms of food packaging because they keep food warm and are often microwaveable.

Uses of glass jars and bottles. Glass bottles and jars can be quite diverse in terms of colors, shapes and uses in the packaging world. They can provide a quick visual brand impression and a sense of quality that is difficult to achieve with similar packaging materials.

Glass has a timeless appeal. Glass packaging seems to exude an elegant and quaint essence due to its use and manufacturing in packaging over the ears. The material itself contributes to the overall appeal of the packaging design. This can be quite common in the food and beverage industry, as the taste of the product remains the same and is not affected by the packaging, as is often the case with other packaging materials. The use of glass has a long history and has an immediate and timeless appeal.

ISSN 3030-3907

Glass is good for consumer health. Glass benefits consumer health because it is virtually inert and impermeable, making it one of the most durable of all packaging materials. There is no risk of dangerous chemicals leaching into food or drinks packaged in glass. No additional barriers or chemicals are required. Glass bottles or jars are made entirely of glass.




Figure.2

The total loss scattering coefficient μ_{sca} can be written as:

$$\mu_{sca}\ cm^{-1}) = \sum \sigma_i = \sigma \bullet \pi r^2 \bullet N$$

ISSN 3030-3907

where σ is the scattering cross-section, r is the particle radius, and N is the number density of the scatter particle. To further understand the scattering process, the size-structure-transparency relationship has been widely investigated theoretically and experimentally. Exploring the next generation of integrated optical devices requires a more accurate control over the spatial distribution of the embedded nanocrystals in NGC materials. Compared to continuous lasers, pulsed lasers with ultrashort femtosecond (fs) or picosecond (ps) duration exhibit higher peak power and better spatial resolution, which are extensively used in micro-fabrication. Multiphoton absorption and photo-induced micro-plasma occurring in local volume inside the transparent glass only limited to a few μm^3, allowing spatial selective crystallization via elements rearrangement in the local molten region without severe heat diffusion. Such unique characteristics enable new design in microstructures with 3D fashion, generating novel optical properties such as physico- chemical anisotropy, periodicity, erasability and so fort. Exploiting the great thermal/chemical stability of the glass materials, one important motivation to develop the bottom-up strategies in many previous investigations is to improve the stability of some unstable nanocrystals or phosphors. In this section, we only highlight another attractive ability of bottom-up strategies. In a typical bottom-up fabrication, the NGC materials are fabricated in two separate steps by nanocrystals synthesis and glass matrix encapsulation. It creates a great opportunity to explore new NGC materials with novel crystalline phases or crystal hybrids, generating new functions with tailorable properties and flexible tunability. The rapid development of bottom-up fabrications promotes the remarkable progress in controlling the composition and phase of the nanocrystals in glass, opening a new door towards the integrated devices with multifunctionalities.

References:

1. *Zallen, R. (1983). The Physics of Amorphous Solids. New York: John Wiley. pp.* 1–*32.* ISBN 978-0-471-01968-8.
2. *Cusack, N.E. (1987). The physics of structurally disordered matter: an introduction. Adam Hilger in association with the University of Sussex press. p. 13.* ISBN 978-0-85274-829-9.

ISSN 3030-3907

3. Jump up to:[a] [b] [c] *Scholze, Horst (1991). Glass – Nature, Structure, and Properties. Springer. pp.* 3*–5.* ISBN 978-0-387-97396-8.
4. Jump up to:[a] [b] [c] [d] *Elliot, S.R. (1984). Physics of Amorphous Materials. Longman group ltd. pp.* 1*–52.* ISBN 0-582-44636-8.
5. *Neumann, Florin.* "Glass: Liquid or Solid – Science vs. an Urban Legend". *Archived from* the original *on 9 April 2007.* Retrieved 8 April 2007.
6. Jump up to:[a] [b] [c] *Gibbs, Philip.* "Is glass liquid or solid?". Archived *from the original on 29 March 2007.* Retrieved 21 March 2007.
7. "Philip Gibbs" Glass Worldwide, (May/June 2007), pp. 14–18
8. *Salmon, P.S. (2002). "Order within disorder". Nature Materials.* ***1*** *(2):*
9. Ashtekar, Sumit; Scott, Gregory; Lyding, Joseph; Gruebele, Martin (2010). "Direct Visualization of Two-State Dynamics on Metallic Glass Surfaces Well Below Tg". J. Phys. Chem. Lett. **1** (13): 1941–1945. arXiv:1006.1684. doi:10.1021/jz100633d. S2CID

ISSN 3030-3907